			Installation Instructions	
1	2S-	-5.2 -6.3	12 Stud Penetration Fitting - Inverted Style - Single Sided	
		-6.7	 Prepare all Surfaces: All surfaces to be bonded should be prepared prior to Completing the installation steps below. Warning: Failure to follow each step will void the warranty and may result in premature failure of the penetration fitting. Adhere to the following general instructions for each step of the installation 	
DĘ			instructions for each step of the installation. Bonding to Poly & FRP surfaces: Clean and sand (rough up) sump surfaces with CH-DBC II. Remove all gel coat on all fiberglass surfaces. Apply CH-DBB V to all surfaces to be bonded both the fitting and sump wall.	
Diversified Manufact		Weaver Products	Cleaning: Spray all surfaces to be bonded with CH-DBC II Cleaner and allow to air dry. Excess cleaner may be wiped off with a clean dry cloth.	
Step 1			Hole Saw 6 7/8"	
sum	ip perpendicular	on: Where possible run pipe s to the sump surface. Drill the around the hole 2 1/2" on all	center hole according between Centers 9.5"	
sump	o wall. Mark hole e sure you drill p	illing Stud Holes: Center an e positions and drill with 5/16" erpendicular to the sump wall ect fitting is on the outside of t	drill. On round sumps . Warning make sure	
	Dry fit the fittings: Dry fit. If you have trouble fitting them together, recheck the holes. You may need to clean the holes with the drill. Studs must fit freely through the holes.			
Step 4				
Wi c eno	pe dry or air dry reates a seal wit ough bonder so tl	ray all surfaces to be bonded v Apply CH-DBB V Bonder to th h the sump wall. When installi nat a small bead escapes the p htened to the fitting. If no bor fitting and apply again.	he fitting surface that ing there should be erimeter of the fitting	

Tighten Stud Nuts and Install Pipe and Tighten Band Clamps:

Tighten stud nuts to 75 in-lb. Allow fitting to cure for 1/2 hour then install pipe. Pipe should be run perpendicular to the sump wall. Do not exceed 15 deg off angle. Once the pipe is installed and connected, tighten the band clamp. Do not exceed 60 in-lb.



Tools Required

5 1/2" hole saw5/16 nut driver for band clamps7/16 deep socket for flange nutsCH-DAG III applicator gun for CH-DBB V bonder

Products Needed

CH-DBC II - Cleaner .1 Cans per penetration fitting CH-DBB V - Methylmethacrylate Bonder - 28 ml per fitting

Diversifeid Products MFG • PH (530)534-3966 • FX (530) 534-7404 • DPM-co.com

7/11/17 Rev-1.0